EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	94121	(request$3 or demand$3) and content$1 with (fil$3 or information) and tim$3 with (limit$6 or period or dead$1line)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2009/03/28 10:12
L2	2658	(request$3 or demand$3) same content$1 with (fil $3 or information) same tim$3 with (limit$6 or period or dead$1line)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2009/03/28 10:13
L3	672	(request$3 or demand$3) with content$1 with (fil$3 or information) with tim$3 with (limit$6 or period or dead$1line)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2009/03/28 10:14
L4	145	(request$3 or demand$3) with content$1 with (fil$3 or information) with tim$3 with (limit$6 or period or dead$1line) and schedul $3 and distribution with tim$3	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2009/03/28 10:14
L5	16	(request$3 or demand$3) with content$1 with (fil$3 or information) with tim$3 with (limit$6 or period or dead$1line) and schedul $3 and distribution with tim$3 and "725"$.ccls.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2009/03/28 10:15
L6	16	(request$3 or demand$3) with content$1 with (fil$3 or information) with tim$3 with (limit$6 or period or dead$1line) and schedul $3 and distribution with tim$3 and "725"/$.ccls.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2009/03/28 10:15
L7	233	(request$3 or demand$3) with content$1 with tim$3 with (limit$6 or period or dead$1line) and "725"/$. ccls.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2009/03/28 10:33
L8	11	(request$3 or demand$3) with content$1 with tim$3 with (limit$6 or period or dead$1line) and "725"/$. ccls. and @ad<"19990209"	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2009/03/28 10:33

L9	17	(request$3 or demand$3) with content$1 and (request$3 or demand$3) with tim$3 with (limit$6 or period or dead$1line) and "725"/$.ccls. and @ad<"19990209" and distribution with tim$3	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2009/03/28 10:50
L10	24	(request$3 or demand$3) with content$1 and (request$3 or demand$3) with tim$3 with (limit$6 or period or dead$1line) and "725"/$.ccls. and @ad<"19990209" and distribut$4 with tim$3	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2009/03/28 10:50
L11	6	(request$3 or demand$3) with content$1 same (request$3 or demand$3) with tim$3 with (limit$6 or period or dead$1line) and "725"/$.ccls. and @ad<"19990209" and distribut$4 with tim$3	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2009/03/28 10:50
L12	13	(request$3 or demand$3) with content$1 same (request$3 or demand$3) with tim$3 with (limit$6 or period or dead$1line) and "725"/$.ccls. and @ad<"19990209"	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2009/03/28 10:55
L13	56	(request$3 or demand$3) with content$1 and (request$3 or demand$3) with tim$3 with (limit$6 or period or dead$1line) and "725"/$.ccls. and @ad<"19990209"	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2009/03/28 11:03
L14	34	(request$3 or demand$3) with content$1 and (request$3 or demand$3) with tim$3 with (limit$6 or period or dead$1line) and "725"/$.ccls. and @ad<"19990209" and schedul$3	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2009/03/28 11:03

L15	37	(request$3 or demand$3) with content$1 and (request$3 or demand$3) with (schedul$3 or tim$3) with (limit$6 or period or dead$1line) and "725"/$.ccls. and @ad<"19990209" and schedul$3	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2009/03/28 11:05
L16	59	(request$3 or demand$3) with content$1 and (request$3 or demand$3) with (schedul$3 or tim$3) with (limit$6 or period or dead$1line) and "725"/$.ccls. and @ad<"19990209"	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2009/03/28 11:05
L17	33	(request$3 or demand$3) with content$1 with (schedul$3 or expir$6 or period or dead$1line) and "725"/$.ccls. and @ad<"19990209"	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2009/03/28 11:08
L18	38	(request$3 or demand$3) with content$1 same (request$3 or demand$3) with (schedul$3 or expir $6 or period or dead $1line) and "725"/$.ccls. and @ad<"19990209"	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2009/03/28 11:57
L19	9	(request$3 or demand$3) with content$1 and (request$3 or demand$3) with (schedul$3 or expir $6 or period or dead $1line) and 725/97.ccls. and @ad<"19990209"	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2009/03/28 12:12
L20	16	(request$3 or demand$3) with content$1 and (request$3 or demand$3) with (schedul$3 or expir $6 or period or dead $1line) and 725/116.ccls. and @ad<"19990209"	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2009/03/28 12:33
L21	61	(request$3 or demand$3) with content$1 same (schedul$3 or expir$6 or period or dead$1line) and "725"/$.ccls. and @ad<"19990209"	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2009/03/28 12:57

L22	33	(request$3 or demand$3) with content$1 with (schedul$3 or expir$6 or period or dead$1line) and "725"/$.ccls. and @ad<"19990209"	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2009/03/28 12:57
L23	3	(request$3 or demand$3) with content$1 with (schedul$3 or expir$6 or period or dead$1line) and "725"/$.ccls. and @ad<"19990209" and distribut$4 with (dead$1line or schedul$3 or expir$6 or period$6)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2009/03/28 12:58
L24	44	(request$3 or demand$3) with content$1 and "725"/$.ccls. and @ad<"19990209" and distribut$4 with (dead$1line or schedul$3 or expir$6 or period$6)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2009/03/28 13:00
L25	17	(request$3 or demand$3) with content$1 and "725"/$.ccls. and @ad<"19990209" and distribut$4 near5 (dead$1line or schedul$3 or expir$6 or period$6)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2009/03/28 13:01
L26	4	(request$3 or demand$3) with content$1 and "725"/$.ccls. and @ad<"19990209" and distribut$4 with (dead$1line or schedul$3 or expir$6 or period$6) with conten$1	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2009/03/28 13:01
L27	6	(request$3 or demand$3) with content$1 and "725"/$.ccls. and @ad<"19990209" and distribut$4 with (dead$1line or schedul$3 or expir$6 or period$6) with content$1	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2009/03/28 13:02
L28	44	(request$3 or demand$3) with content$1 and "725"/$.ccls. and @ad<"19990209" and distribut$4 with (dead$1line or schedul$3 or expir$6 or period$6)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2009/03/28 13:05

3/ 28/ 2009 1:17:29 PM